

BUILT KYMCO TOUGH

ATV & UTV RANGE



KYMCO
KYMCO.COM.AU

KYMCO – SINCE 1964



- Founded in 1964 as a key manufacturing plant and primary parts supplier for Honda
- Produced the first KYMCO-branded models for global export in 1992
- Manufactures more than 200 models including scooters, motorcycles, ATV and UTVs, electric scooters, mobility scooters and e-bikes
- One of the world's largest scooter manufacturers
- Sells more than 664,000 vehicles per year across 111 countries
- More than 3600 dealers in Taiwan alone
- Three manufacturing plants, an R&D facility, logistics centre and a 185,000sqm test track in Taiwan
- Assembly plants in Argentina, Brazil, Columbia, Egypt, Malaysia, China & Taiwan
- More than 3000 employees worldwide
- Produces several models for other world-renowned powersport brands including Arctic Cat, BMW and Kawasaki

KYMCO – SINCE 1964

- Introduced to Australia in 1999
- More than 35,000 vehicles sold
- 13 scooter models
- 6 ATV models
- 3 Side-by-Side models
- 3-Year Factory Warranty
- 100 dealers nationwide



GONE IN 60 SECONDS

Did you know that a new KYMCO vehicle is sold every 60 seconds?



3-YEAR WARRANTY*



KYMCO ATVs and side by side UTVs are supported by a two-year factory warranty from the date of purchase plus an additional 12-month factory warranty if your vehicle is exclusively serviced at an authorised KYMCO dealer and retain an accurate service history.

*Excludes KYMCO's Youth ATV range. Maxxer 50 and Mongoose 90 are supported by a two-year factory warranty.

Each KYMCO comes with an owner's manual and warranty booklet as supplied by your KYMCO dealer.

3 YEAR
WARRANTY



STAGE 2 COMPLIANT

All KYMCO ATVs meet stage 2 of the mandatory requirements of the Consumer Goods (Quad Bike) Safety Standard.

ATV RANGE



Made Tough in Taiwan. Take your pick out from our work ready ATVs to get the most out of your work day.

YOUTH RANGE



Kick start your future stars' riding skills with the KYMCO Youth Range and build their confidence to tackle any adventure they can find.

UTV RANGE



Rugged, feature-packed and ready to get the job done. No better choice than the KYMCO UTV range.




Available colour



3 YEAR
WARRANTY

BUILT KYMCO TOUGH

Loaded with features, you'd only expect on more expensive machines, the KYMCO MXU 300R has everything you need to complete the job, including dual a-arm independent front suspension and swingarm rear suspension, providing enhanced ground clearance for an ultra-comfortable ride. While the liquid-cooled, 19hp, four-stroke engine provides all the power you need. Front and rear hydraulic disc brakes make stopping reliable, while sturdy carry racks make this unit practical on the farm. Jam-packed with value-for-money features, the KYMCO MXU 300R will make light work of even the busiest day.

- 270cc LIQUID COOLED 4-STROKE ENGINE
- CARBURETTOR
- CVT TRANSMISSION
- 2WD
- SHAFT DRIVE
- HYDRAULIC DISC BRAKES
- INDEPENDENT FRONT, SOLID REAR AXEL
- TOW: 227KG
- CARRY: 20KG FRONT, 30KG REAR




Available colour



3 YEAR
WARRANTY

SIMPLICITY AT ITS BEST

With the simplicity of a carburettor and the reliability of an air and oil-cooled engine, the KYMCO MXU 400 is the number one choice for Aussie farmers. Practical power is delivered through a CVT automatic transmission with selectable high/low ranges for flexible work speeds. Independent suspension all round and push button selectable 2WD/4WD will keep you moving, no matter the terrain. Bulletproof reliability - Simplicity at its best.

- 367cc AIR & OIL COOLED 4-STROKE ENGINE
- CARBURETTOR
- CVT TRANSMISSION
- ENGINE BRAKING
- 2WD / 4WD
- SHAFT DRIVE
- HYDRAULIC DISC BRAKES
- INDEPENDENT SUSPENSION
- TOW: 368KG
- CARRY: 34KG FRONT, 68KG REAR




Available colour



3 YEAR
WARRANTY

MIDDLEWEIGHT POWERHOUSE

The KYMCO MXU 550i EPS is a dynamic and accomplished ATV. This highly versatile middleweight quad bike is a favourite workhorse with Australian farmers and agriculturalists thanks to its perfect blend of modern niceties and robust simplicity. Equipped with a refreshed front cowl with integrated LED position lights and a high level of standard features, including fuel injection, electronic power steering, a 2" hitch receiver, digital instrument panel, independent front and rear suspension, and sturdy front and rear luggage racks. The MXU 550i EPS is ready to work and play with excellent ergonomics and an under-stressed 34hp engine. That means getting the job done in a simple, no-fuss manner – and with some horsepower to spare if you want to finish the day with some fun!

- 501cc LIQUID COOLED 4-STROKE ENGINE
- ELECTRONIC FUEL INJECTION (EFI)
- CVT TRANSMISSION
- ENGINE BRAKING
- 2WD / 4WD & DIFF LOCK
- ELECTRONIC POWER STEERING (EPS)
- SHAFT DRIVE
- HYDRAULIC DISC BRAKES
- INDEPENDENT SUSPENSION
- 12 INCH STEEL WHEELS, 25 INCH KENDA AT TYRES
- TOW: 454KG
- CARRY: 52KG FRONT, 95KG REAR




Available colour



3 YEAR
WARRANTY

ADVANCING THE CAUSE

In terms of muscle, KYMCO's flagship farm ATV, the MXU 700i EPS LE, is an impressive package. Electric Power Steering (EPS) improves manoeuvrability making tackling the most challenging terrain easy. 14-inch alloy wheels with 26-inch tyres enhance ground clearance and handling. Safety features include a combined braking system and anti-theft steering lock to protect the rider and their belongings, increased towing capacity, extra fuel capacity and increased suspension travel, there's also a USB charging port. The KYMCO MXU700i EPS LE is Power, Refinement and Brawn all together in one!

- 695cc LIQUID COOLED 4-STROKE ENGINE
- ELECTRONIC FUEL INJECTION (EFI)
- CVT TRANSMISSION
- ENGINE BRAKING
- 2WD / 4WD & DIFF LOCK
- ELECTRONIC POWER STEERING (EPS)
- SHAFT DRIVE
- HYDRAULIC DISC BRAKES
- INDEPENDENT SUSPENSION
- 14 INCH ALLOY WHEELS, 26 INCH MAXXIS AT TYRES
- TOW: 454KG
- CARRY: 52KG FRONT, 95KG REAR

A red Kymco Maxxer 50 ATV is shown in a grassy field. A rider wearing a blue and white helmet and gear is seated on the vehicle. The background features a wooden fence and a line of trees under a clear sky.

MAXXER₅₀

Available colour

MONGOOSE₉₀

Available colours

YOUTH RANGE

**2 YEAR
WARRANTY**

KYMCO THRILLS

Easy to ride and packed with great safety features, KYMCO youth ATVs are the perfect way for your kids to get their thrills.

Maxxer 50 offers a 49cc two-stroke engine, while the Mongoose 90 offers an 89.9cc four-stroke engine. Both deliver smooth power, while the CVT automatic transmissions make riding simple for even the newest rider.

Maxxer 50 and Mongoose 90 both have great safety features like keyed electric start, throttle stops and ignition cut-off lanyards to help you keep the fun in check.

A 2-year factory warranty supports the KYMCO youth ATV range, so you can be sure the fun will last for years. Simple and safe, KYMCO youth ATVs will help your future star tackle any adventure they can find.

MAXXER 50

- 49CC, AIR-COOLED TWO-STROKE
- CVT AUTOMATIC TRANSMISSION
- KEYED ELECTRIC START
- ADJUSTABLE THROTTLE STOP
- IGNITION CUT-OFF LANYARD

MONGOOSE 90

- 89.9CC, AIR-COOLED FOUR-STROKE
- CVT AUTOMATIC TRANSMISSION WITH REVERSE
- CVT COLLAR SPEED RESTRICTOR
- IGNITION CUT-OFF LANYARD

UXV_{450i}

Available colour

**3 YEAR
WARRANTY**

THROUGH THE TIGHT STUFF

The UXV 450i is a feature-packed compact UTV with a bench seat, half doors, narrow track and independent suspension, making it the ultimate machine to easily take on tight terrain. Powered by a robust 33hp fuel-injected engine that delivers plenty of power matched with an ultra-smooth CVT automatic transmission with high/low ranges and active engine braking. When the going gets tough, a simple push button selectable 2WD/4WD and front diff-lock will get you through technical terrain. KYMCO UXV 450i is your versatile UTV on the farm.

- 443cc LIQUID COOLED 4-STROKE ENGINE
- ELECTRONIC FUEL INJECTION (EFI)
- CVT TRANSMISSION
- ENGINE BRAKING
- 2WD / 4WD & DIFF LOCK
- SHAFT DRIVE
- HYDRAULIC DISC BRAKES
- INDEPENDENT SUSPENSION
- ROOF KIT
- HALF DOORS
- 12 INCH STEEL WHEELS, 25 INCH TYRES
- TOW: 550KG
- CARRY: 190 KG



Available colour



3 YEAR
WARRANTY

GET THE JOB DONE WITH KYMCO

When it comes to hard work, UXV 700i EPS gets the job done. Powered by KYMCO's smooth 45hp engine, which features a new and improved automatic CVT-Drive system, including all-important active engine braking. Off road the UXV really feels at home, with plenty of ground clearance, a simple 'push button' two-wheel-drive / four-wheel-drive activation and independent dual A-Arm suspension front and rear.

Bred to work, the UXV has a generously sized tipping cargo bed and a hefty 550kg tow capacity to get more done in your workday. KYMCO is made tough in Taiwan and supported by a 3 year warranty to guarantee A-Grade durability.

- 695cc LIQUID COOLED 4-STROKE ENGINE
- ELECTRONIC FUEL INJECTION (EFI)
- CVT TRANSMISSION
- ENGINE BRAKING
- 2WD / 4WD & DIFF LOCK
- ELECTRONIC POWER STEERING (EPS)
- SHAFT DRIVE
- HYDRAULIC DISC BRAKES
- INDEPENDENT SUSPENSION
- 12 INCH STEEL WHEELS, 25 INCH TYRES
- TOW: 550KG
- CARRY: 200 KG



Available colour



3 YEAR
WARRANTY

KYMCO'S FLAGSHIP UTV

The UXV 700i EPS LE is now offered in addition to the standard UXV 700i EPS. The LE iteration adds an array of premium features, including a striking gloss blue (automotive-grade paint) livery, a 2500-pound winch, a roof kit, half doors and 14" black alloy wheels, all as standard equipment. Electronic power steering (EPS) makes for easy manoeuvring through tight tracks.

- 45HP, LIQUID COOLED 4-STROKE ENGINE
- ELECTRONIC FUEL INJECTION (EFI)
- CVT TRANSMISSION ● ENGINE BRAKING
- 2WD / 4WD & FRONT DIFF LOCK
- POWER STEERING ● HYDRAULIC DISC BRAKES
- INDEPENDENT SUSPENSION
- HALF DOOR KIT ● 2500LB WINCH
- AUTOMOTIVE GRADE PAINT ● ROOF KIT
- 14 INCH ALLOY WHEELS
- 26 INCH KENDA ALL TERRAIN TYRES
- TOW: 550KG
- TRAY CAPACITY: 200KG
- FRONT BUMPER

	ATV				YOUTH RANGE		UTV		
SPECS									
ENGINE & TRANSMISSION									
ENGINE TYPE	SINGLE-CYLINDER, FOUR-STROKE, LIQUID COOLED, FOUR-VALVE, SOHC	SINGLE-CYLINDER, FOUR-STROKE, OIL & AIR COOLED, FOUR-VALVE, SOHC	SINGLE-CYLINDER, FOUR-STROKE, LIQUID COOLED, FOUR-VALVE, SOHC	SINGLE-CYLINDER, FOUR-STROKE, LIQUID-COOLED, FOUR-VALVE, DOHC	SINGLE-CYLINDER, TWO-STROKE, AIR COOLED	SINGLE-CYLINDER, FOUR-STROKE, AIR COOLED	SINGLE-CYLINDER, FOUR-STROKE, LIQUID-COOLED, FOUR-VALVE, DOHC	SINGLE-CYLINDER, FOUR-STROKE, LIQUID-COOLED, FOUR-VALVE, DOHC	SINGLE-CYLINDER, FOUR-STROKE, LIQUID-COOLED, FOUR-VALVE, DOHC
DISPLACEMENT	270CC	367CC	501CC	695CC	49CC	89.9CC	443CC	695CC	695CC
MAX. POWER OUTPUT	19.6HP (14.6KW) AT 7000 RPM	20 HP (15KW) AT 6500 RPM	33.5 HP (25KW) AT 6500 RPM	44 HP (33KW) AT 6500 RPM	3.9HP (2.9KW) AT 6000 RPM	6.3HP (4.7KW) AT 7000 RPM	33 HP (25KW) AT 7500 RPM	45 HP (33.6KW) AT 6500 RPM	45 HP (33.6KW) AT 6500 RPM
MAX. TORQUE	22 NM AT 6000 RPM	-	38.8 NM AT 5500 RPM	55 NM AT 5500 RPM	-	6.6 NM AT 5500 RPM	33NM AT 6500 RPM	55 NM AT 5500 RPM	55 NM AT 5500 RPM
FUEL SYSTEM	CARBURETTOR	CARBURETTOR	ELECTRONIC FUEL INJECTION (EFI)	ELECTRONIC FUEL INJECTION (EFI)	CARBURETTOR	CARBURETTOR	ELECTRONIC FUEL INJECTION (EFI)	ELECTRONIC FUEL INJECTION (EFI)	ELECTRONIC FUEL INJECTION (EFI)
TRANSMISSION	CVT, H-L-N-R-PARK	CVT, H-L-N-R-PARK	CVT, H-L-N-R-PARK & HÁNDLEBAR PARK BRAKE	CVT, H-L-N-R-PARK & HÁNDLEBAR PARK BRAKE	CVT, H-L-N-R-PARK	CVT, H-L-N-R-PARK	CVT, H-L-N-R-PARK & PARK BRAKE	CVT, H-L-N-R-PARK & PARK BRAKE	CVT, H-L-N-R-PARK & PARK BRAKE
DRIVE	CHAIN	SHAFT	SHAFT	SHAFT	CHAIN	CHAIN	SHAFT	SHAFT	SHAFT
4WD	2WD	2WD/4WD	2WD/4WD W/LOCKING FRONT DIFFERENTIAL	2WD/4WD W/LOCKING FRONT DIFFERENTIAL	2WD	2WD	2WD/4WD W/LOCKING FRONT DIFFERENTIAL	2WD/4WD W/LOCKING FRONT DIFFERENTIAL	2WD/4WD W/LOCKING FRONT DIFFERENTIAL
REAR DIFFERENTIAL	FIXED	FIXED	FIXED	FIXED	FIXED	FIXED	FIXED	FIXED	FIXED
POWER STEERING	-	-	YES, EPS	YES, EPS	-	-	-	YES, EPS	YES, EPS
SUSPENSION & BRAKES									
FRONT: SUSPENSION	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT	SINGLE A-ARM W/TWIN SHOCK ABSORBERS	SINGLE A-ARM W/TWIN SHOCK ABSORBERS	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT
REAR SUSPENSION	UNIT-SWING WITH SINGLE SHOCK ABSORBER	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT	UNIT-SWING W/SINGLE SHOCK ABSORBER	UNIT-SWING W/SINGLE SHOCK ABSORBER	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT
SHOCK ABSORBERS	OIL DAMPENED PRELOAD ADJUSTABLE	OIL DAMPENED PRELOAD ADJUSTABLE	5 LEVEL PRELOAD ADJUSTABLE OIL DAMPENED	5 LEVEL PRELOAD ADJUSTABLE OIL DAMPENED	OIL DAMPENED PRELOAD ADJUSTABLE	OIL DAMPENED PRELOAD ADJUSTABLE	OIL DAMPENED PRELOAD ADJUSTABLE	KAIFAGAS-RESERVOIR SHOCK ABSORBERS	KAIFAGAS-RESERVOIR SHOCK ABSORBERS
FRONT BRAKE	HYDRAULIC DISC	HYDRAULIC DISC	HYDRAULIC DISC	HYDRAULIC DISC	MECHANICAL DRUM	MECHANICAL DRUM	DUAL HYDRAULIC DISC	DUAL HYDRAULIC DISC	DUAL HYDRAULIC DISC
REAR BRAKE	HYDRAULIC DISC	HYDRAULIC DISC	HYDRAULIC DISC	HYDRAULIC DISC	HYDRAULIC DISC	HYDRAULIC DISC	SINGLE HYDRAULIC DISC	SINGLE HYDRAULIC DISC	SINGLE HYDRAULIC DISC
WHEELS	10-INCH STEEL	12-INCH STEEL	12-INCH STEEL	14-INCH ALLOY	7-INCH STEEL	8-INCH STEEL	12-INCH STEEL	12-INCH STEEL	14-INCH ALLOY
TYRES	22-INCH	24-INCH KENDA AT TYRES	25-INCH KENDA AT TYRES	26-INCH MAXXIS AT TYRES	16-INCH TYRES	18-INCH TYRES	25-INCH KENDA AT TYRES	25-INCH KENDA AT TYRES	26-INCH KENDA AT TYRES
DIMENSIONS									
L X W X H	1810MM X 1030MM X 1100MM	2123MM X 1102MM X 1192MM	2139MM X 1219MM X 1250MM	2139MM X 1245MM X 1250MM	1385MM X 820MM X 900MM	1435MM X 905MM X 925MM	2770MM X 1440MM X 1850MM	2870MM X 1500MM X 1850MM	2870MM X 1500MM X 1850MM
WHEELBASE	1170MM	1217MM	1298MM	1298MM	900MM	970MM	1829MM	1910MM	1910MM
GROUND CLEARANCE	250MM	268MM	264MM	272MM	75MM	100MM	300MM	300MM	300MM
DRY WEIGHT	175KG	276KG	329KG	363KG	100KG	122KG	496KG	543KG	552KG
LOAD									
TOW CAPACITY	227KG	368KG	454KG	454KG	-	-	550KG	550KG	550KG
CARRY CAPCITY	FRONT: 20KG REAR: 30KG	FRONT: 34KG REAR: 68KG	FRONT: 52KG REAR: 95KG	FRONT: 52KG REAR: 95KG	-	-	CARGO BED: 190KG	CARGO BED: 200KG	CARGO BED: 200KG
PERSON	1	1	1	1	1	1	2	2	2
FUEL CAPACITY	12.5 LITRES	15 LITRES	20 LITRES	25 LITRES	6 LITRES	6 LITRES	32 LITRES	32 LITRES	32 LITRES
CARGO BED SIZE W X D X H	-	-	-	-	-	-	1170MM X 730MM X 302MM	1210MM X 820MM X 310MM	1210MM X 820MM X 310MM
OTHER									
COLOUR	RED	RED	SUNBEAM RED	COBALT BLUE	RED	RED	GHOST GREY	DEEP GREEN	SAPPHIRE BLUE
TOW PACK, HORN, LIGHTS AND MIRRORS	YES	YES	YES	YES	-	-	YES	YES	YES
WARRANTY	3 YEAR WARRANTY	3 YEAR WARRANTY	3 YEAR WARRANTY	3 YEAR WARRANTY	2 YEAR WARRANTY	2 YEAR WARRANTY	3 YEAR WARRANTY	3 YEAR WARRANTY	3 YEAR WARRANTY

MXU300R, MXU400, MXU550i EPS and MXU 700i LE EPS include tow hitch. Tow ball sold separately.

KYMCO ATV and UTV models are covered under KYMCO’s 3 year factory warranty program. Refer to KYMCO ATV/UTV Warranty Booklet for terms and conditions. Excludes KYMCO Maxxer 50 and Mongoose 90.
KYMCO.COM.AU



GENUINE PARTS & ACCESSORIES

The benefits of genuine KYMCO parts and accessories speak for themselves – they're designed, developed and manufactured alongside the vehicles for a perfect fit and finish. For more information on genuine parts and accessories, contact your local KYMCO dealer.





KYMCO

ALL IN A DAY'S WORK



KYMCO is distributed in Australia by Mojo Motorcycles. While Mojo Motorcycles have tried to make this catalogue as comprehensive and factual as possible, there may be instances where, since the time of printing, information has been updated on products. Please be advised that the equipment shown or described in this catalogue may have been changed and/or is available at extra cost. Further, Mojo Motorcycles, reserves the right to make changes at any time without notice, in prices, colours, materials, equipment and models. All price offers are quoted based on recommended retail price inclusive of GST unless otherwise stated. KYMCO Dealers have access to current vehicle information and should be consulted with before making decisions on your new KYMCO vehicle. Warranties offered for KYMCO products are subject to the conditions set out in all vehicle handbooks and supplement handbooks. Details are also available from KYMCO upon request. Always wear an approved helmet, eye protection, long sleeved shirt, long trousers, gloves and boots while riding.

